


The complex consists of nine vertical columns of different height, Swedish wall 2073 mm in height and 1200 mm in width, one crossbar for pull-ups with the length of 1200 mm (1758 mm optional length is possible), wooden bench for abs and parallel bars that consist of two horizontal crossbars, with the length of the bars – 1758 mm. Distance between the side columns of parallel bars is 600 mm. Construction is secured together with aluminium clamps.



TECHNICAL DESCRIPTION

LENGTH:	3932 MM	
WIDTH:	2078 MM	
HEIGHT:	2650 MM	
LONGEST PART WHEN TRANSPORTING:	3350 MM	
WEIGHT:	290 KG	
REQUIRED GROUND AREA:	7582 X 5624 MM	
PIPE MEASUREMENTS:	DIAMETER:	WALL THICKNESS:
	108 MM	3,2 MM
	34 MM	3,2 MM
METAL PARTS:	POWDER COATED STEEL RAL 7016	
CLAMPS:	POWDER COATED ALUMINUM ALLOY RAL 3020	
BOLTS:	HOT GALVANIZED BOLTS M10	
MAX. CROSSBAR HEIGHT:	2450 MM	
USER AGE:	CHILDREN UNDER 14 YEARS ONLY UNDER SURVEILLANCE OF PARENTS	
MAX. USER WEIGHT:	130 KG	
CERTIFICATES:	TÜV RHEINLAND INTERCERT KFT	

